



IS IT SAFE TO HAVE THE COVID-19 VACCINE IF I AM PREGNANT?



There is no known risk associated with non-live vaccines, such as the Pfizer-BioNtech or Oxford-AstraZeneca vaccines during pregnancy




Expectant mothers should be vaccinated when:

- risk of exposure is high, (such as front-line workers)



The vaccines used do not cause Covid-19 infection in mothers or their unborn children



- or they have underlying conditions such as hypertension or asthma



All vaccinated mothers must continue to wear face coverings, social distance and wash their hands regularly to reduce the spread of Covid-19



For more information, talk to your midwife or get further information on your country's vaccine policy for pregnant women at: XXXX




SHOULD I HAVE A COVID-19 VACCINE IF I AM BREASTFEEDING?



There is no known risk associated with non-live vaccines, such as the Pfizer-BioNTech or Oxford-AstraZeneca vaccines for breastfeeding mothers or infants who receive breastmilk

Breastfeeding mothers who are frontline workers or who are vulnerable should be offered COVID-19 vaccination



All vaccinated mothers must continue to wear face coverings, social distance and wash their hands regularly to reduce the spread of Covid-19



For more information, talk to your midwife or get further information on your country's vaccine policy for breastfeeding women at: XXXX



Supported by the Australian Government



IS IT SAFE TO HAVE THE COVID-19 VACCINE IF I AM PREGNANT?



There is no known risk associated with non-live vaccines, such as the Pfizer-BioNtech or Oxford-AstraZeneca vaccines during pregnancy




Expectant mothers should be vaccinated when:

- risk of exposure is high, (such as front-line workers)



The vaccines used do not cause Covid-19 infection in mothers or their unborn children



- or they have underlying conditions such as hypertension or asthma



All vaccinated mothers must continue to wear face coverings, social distance and wash their hands regularly to reduce the spread of Covid-19



For more information, talk to your midwife or get further information on your country's vaccine policy for pregnant women at: XXXX




SHOULD I HAVE A COVID-19 VACCINE IF I AM BREASTFEEDING?



There is no known risk associated with non-live vaccines, such as the Pfizer-BioNTech or Oxford-AstraZeneca vaccines for breastfeeding mothers or infants who receive breastmilk

Breastfeeding mothers who are frontline workers or who are vulnerable should be offered COVID-19 vaccination




All vaccinated mothers must continue to wear face coverings, social distance and wash their hands regularly to reduce the spread of Covid-19



For more information, talk to your midwife or get further information on your country's vaccine policy for breastfeeding women at: XXXX



Supported by the Australian Government



តើមានសុវត្ថិភាពដែរឬទេ ក្នុងការចាក់វ៉ាក់សាំង ការពារកូវីដ-១៩ ប្រសិនបើខ្ញុំកំពុងមានផ្ទៃពោះ ?



មិនមានហានិភ័យដែលត្រូវបានគេ
ស្គាល់ទាក់ទងនឹងការចាក់វ៉ាក់សាំង
នេះនៅឡើយទេ ក្នុងអំឡុងពេល
មានផ្ទៃពោះ




អ្នកម្តាយគ្រប់រូបគួរតែទទួលការចាក់
វ៉ាក់សាំងនៅពេល ៖

- ការប្រឈមនឹងហានិភ័យនៃការ
ឆ្លងខ្ពស់ (ដូចជាអ្នកផ្តល់សេវា
ជួរមុខ)




វ៉ាក់សាំងដែលបានចាក់មិនបង្កឱ្យ
មានការឆ្លងមេរោគជំងឺកូវីដ-១៩
ចំពោះម្តាយ ឬកូនក្នុងផ្ទៃដែលមិន
ទាន់កើតនោះទេ



- ឬក៏ពួកគេមានជំងឺប្រចាំកាយ
ដូចជាជំងឺលើសឈាម ឬហឺត



អ្នកម្តាយដែលបានចាក់វ៉ាក់សាំងទាំងអស់ត្រូវតែបន្តពាក់ម៉ាស់ឱ្យបានត្រឹមត្រូវ រក្សាគម្លាតសុវត្ថិភាព
និងលាងដៃឱ្យបានទៀងទាត់ដើម្បីកាត់បន្ថយការរីករាលដាលនៃជំងឺកូវីដ-១៩



សម្រាប់ព័ត៌មានបន្ថែម សូមប្រឹក្សាជាមួយគូបរបស់អ្នក ឬស្វែងរកព័ត៌មាន
បន្ថែមអំពីគោលនយោបាយវ៉ាក់សាំងសម្រាប់ស្ត្រីមានផ្ទៃពោះ នៅក្នុងប្រទេស
របស់អ្នក តាមរយៈ ៖ ទូរស័ព្ទទៅកាន់ ១១៥ ដោយឥតគិតថ្លៃ



គាំទ្រដោយរដ្ឋាភិបាលអូស្ត្រាលី



តើខ្ញុំគួរចាក់វ៉ាក់សាំងការពារជំងឺកូវីដ-១៩ ទេ ប្រសិនបើខ្ញុំកំពុងបំបៅកូនដោយទឹកដោះ ?




មិនមានហានិភ័យដែលត្រូវបានគេស្គាល់ទាក់ទងនឹងការចាក់វ៉ាក់សាំងនេះនៅឡើយ សម្រាប់ម្តាយដែលបំបៅកូនដោយទឹកដោះ ឬទារកដែលកំពុងបៅទឹកដោះម្តាយ



អ្នកម្តាយដែលបំបៅកូនដោយទឹកដោះ និងជាអ្នកដែលធ្វើការជួរមុខ ឬដែលងាយរងគ្រោះគួរតែត្រូវបានផ្តល់ការចាក់វ៉ាក់សាំងការពារជំងឺកូវីដ-១៩



អ្នកម្តាយដែលបានចាក់វ៉ាក់សាំងទាំងអស់ត្រូវតែបន្តពាក់ម៉ាស់ឱ្យបានត្រឹមត្រូវ រក្សាគម្លាតសុវត្ថិភាព និងលាងដៃឱ្យបានទៀងទាត់ដើម្បីកាត់បន្ថយការរីករាលដាលនៃជំងឺកូវីដ-១៩



សម្រាប់ព័ត៌មានបន្ថែម សូមប្រឹក្សាជាមួយធួបរបស់អ្នក ឬស្វែងរកព័ត៌មានបន្ថែមអំពីគោលនយោបាយវ៉ាក់សាំងសម្រាប់ស្ត្រីមានផ្ទៃពោះ នៅក្នុងប្រទេសរបស់អ្នក តាមរយៈ៖ ទូរស័ព្ទទៅកាន់ ១១៥ ដោយឥតគិតថ្លៃ



គាំទ្រដោយរដ្ឋាភិបាលអូស្ត្រាលី